








ООО фирма "Промобслуживание С"



400080 г. Волгоград ул. им. Командира Рудь 1А корп 3 тел. (8442) 65-00-30
сот. 903-37-38-552 937-085-81-12 сайт www.promob-s.ru e-mail: kolomandr@mail.ru



Фитинги трубопровода из полиэтилена повышенной термостойкости (PE-RT тип II)

07.08.2023 г.

Наименование	Диаметр	SDR	Цена с НДС
Втулка под фланец	32	11	96
	40	11	121
	50	11	202
	63	11	394
	75	11	509
	90	11	840
	110	11	1397
	125	11	1500
	140	11	1951
	160	11	3135
	180	11	3500
	200	11	5855
	225	11	6000
	250	11	8858
	280	11	9022
315	11	13022	
Втулка под фланец корот.	40	7	361
	50	7	451
	63	7	512
	75	7	620
	90	7	788
	110	7	1129
	125	7	1505
	140	7	2135
	160	7	2430
	180	7	2859
200	7	3732	
Редукция (переход)	32-25	11	69
	40-32	11	74
	50-40	11	95
	63-32	11	242
	63-40	11	259
	63-50	11	259
	75-40	11	413
	75-50	11	413
	75-63	11	413
	90-50	11	433
	90-63	11	433
	90-75	11	433
	110-50	11	708
	110-63	11	682
	110-75	11	791
	110-90	11	821
	125-90	11	1263
	125-110	11	1352
	140-110	11	1660
	160-63	11	1863
	160-90	11	2379
	160-110	11	2451
	160-125	11	2104
	160-140	11	2618
	200-110	11	3884
	200-125	11	4155
	200-160	11	4155
	200-180	11	4511
	225-110	11	5350
225-160 (NTG)	11	8420	
225-200	11	6254	
250-160	11	6091	
250-200	11	6744	
250-225	11	5183	
315-250	11	14655	

Редукция (переход) корот.	315-225	11	4716
	280-200	11	2984
	280-225	11	3312
	250-225	11	2300
	225-180	11	1927
	225-125	11	2269
	180-140	11	1060
	180-110	11	1140
	180-160	11	1040
	140-125	11	650
	140-110	11	642
140-90	11	675	
Отвод (угол)	40×45°	11	190
 	50×45°	11	195
	63×45°	11	473
	75×45°	11	580
	90×45°	11	891
	110×45°	11	1023
	125×45°	11	3133
	140×45°	11	3300
	160×45°	11	3501
	180×45°	11	5030
	200×45°	11	5561
	225×45°	11	9245
	250×45°	11	10593
	315×45°	11	25322
	40×90°	11	238
	50×90°	11	275
	63×90°	11	786
	75×90°	11	749
	90×90°	11	1149
	110×90°	11	1650
	125×90°	11	2020
	140×90°	11	3294
	160×90°	11	4514
	180×90°	11	6219
	200×90°	11	9023
	225×90°	11	11339
	250×90°	11	16808
	280×90°	11	33322
	315×90°	11	34892
Тройник равносторонний	40-40-40	11	194
	50-50-50	11	322
	63-63-63	11	460
	75-75-75	11	1047
	90-90-90	11	1283
	110-110-110	11	2449
	125-125-125	11	3320
	140-140-140	11	5720
	160-160-160	11	5909
	180-180-180	11	8270
	200-200-200	11	12366
	225-225-225	11	15641
	250-250-250	11	17029
315-315-315	11	29660	
Тройник неравносторонний	50-40-50	11	313
	63-32-63	11	894
	63-40-63	11	481
	63-50-63	11	644
	75-40-75	11	744
	75-50-75	11	858
	75-63-75	11	832
	90-40-90	11	902
	90-50-90	11	971
	90-63-90	11	1223
	90-75-90	11	1594
	110-40-110	11	1549
	110-50-110	11	1715
	110-63-110	11	2285
	110-75-110	11	2353
	110-90-110	11	2386
	125-90-125	11	5219
	125-110-125	11	5388
	140-90-140	11	5826
	140-110-140	11	5746

	160-63-160	11	5160
	160-75-160	11	4658
	160-90-160	11	5388
	160-110-160	11	4958
	160-125-160	11	6242
	180-110-180	11	7664
	180-160-180	11	9357
	200-63-200	11	7499
	200-90-200	11	7651
	200-110-200	11	7661
	200-160-200	11	9269
	225-110-225	11	11720
	225-160-225	11	15638
	250-90-250	11	12193
	250-110-250	11	12369
	250-160-250	11	19108
Заглушка	32	11	запрос
	40	11	запрос
	50	11	93
	63	11	182
	75	11	220
	90	11	368
	110	11	591
	125	11	919
	160	11	1587
Переход PE-RT/сталь наружная резьба	Dn25*3/4"	11	741
	Dn32*1"	11	1353
	Dn40*1 1/4"	11	1882
	Dn50*1 1/2"	11	2065
	Dn63*2"	11	3052
Муфта электросварная	25	11	377
	32	11	365
	40	11	395
	50	11	566
	63	11	676
	75	11	1180
	90	11	1545
	110	11	2166
	125	11	2741
	140	11	3599
	160	11	4435
	180	11	6959
	200	11	7087
	225	11	10835
	250	11	11119
	280	11	18403
	315	11	17874
	50	7	869
	63	7	1312
	75	7	1451
	90	7	1907
	110	7	3377
	125	7	3686
160	7	9037	
Отвод (угол) электросварной	32×90°	11	661
	40×90°	11	763
	50×90°	11	826
	63×90°	11	1107
	75×90°	11	1794
	90×90°	11	2392
	110×90°	11	3235
	160×90°	11	9658
	200×90°	11	15450
Тройник электросварной	32-32-32	11	577
	40-40-40	11	727
	50-50-50	11	1052
	63-63-63	11	1299
	75-75-75	11	1925
	90-90-90	11	2432
	110-110-110	11	4277
	160-160-160	11	8530
	40-32-40	11	700
	110-40-110	11	3239
	110-50-110	11	3408
	110-63-110	11	3170
	110-90-110	11	3883

Переход электросварной			
	32-25	11	654
	40-32	11	681
	50-32	11	589
	50-40	11	795
	63-32	11	793
	63-40	11	914
	63-50	11	914
	75-63	11	1404
	160-110	11	5162
Переходник PE-RT - сталь			
	32-25	11	650
	40-32	11	750
	50-40	11	850
	63-57	11	950
	75-76	11	1300
	90-89	11	1500
	110-108	11	3040
	160-159	11	9980

Производим поставку трубы PERT тип II, сварочного оборудования и раструбных фитингов